

IN THE CLAIMS:

Please amend the claims as shown below. The claims, as currently pending in the subject application, read as follows:

1. (Currently Amended) An information processing apparatus which communicates with an approval service provider terminal, the information processing apparatus comprising:

receiving means for receiving an approval service object from the approval service provider terminal, the approval service object including ~~which includes~~ a decision condition set ~~by a user of an~~ by a setting unit of the approval service provider terminal;

storage means for storing the approval service object received by said receiving means;

approval request preparing means for preparing an approval request based on values entered by a user of the information processing apparatus;

decision means for deciding, ~~in the information processing apparatus, which is different from the approval service provider,~~ whether or not to approve said prepared approval request, ~~based on~~ by applying said prepared approval request to the decision condition included in said stored approval service object; and

output means for outputting a result of the decision of said decision means.

2. (Currently Amended) An apparatus according to claim 1, further comprising execution means for executing a process corresponding to said approval request in the case that said output ~~outputted~~ result of the decision is an approval.

3. (Previously Presented) An apparatus according to claim 1, wherein the decision condition includes a condition corresponding to the user of the information processing apparatus and the content of said approval request.

4. (Previously Presented) An apparatus according to claim 3, wherein said decision condition further includes a condition corresponding to the information processing apparatus preparing said approval request.

5. (Previously Presented) An apparatus according to claim 1, wherein said decision means for deciding determines a period for prohibiting an approval decision and rejects said approval request in the case that a current time is identified as within the prohibition period.

6. (Currently Amended) An approval system[[,]] comprising a service server, an approval service provider terminal and a client terminal,[[:]]

[[a]] wherein the service server manages ~~for managing~~ plural approval service objects registered by [[an]] the approval service provider terminal,

and wherein the [[a]] client terminal comprises: having

approval request preparing means for preparing an approval request based on values entered by a user of the client terminal[[,]];

~~wherein said client terminal further includes:~~

acquisition means for searching for and acquiring an approval service object matching said approval request, among the plural approval service objects registered in said service server, wherein the approval service object includes a decision condition set ~~by a user of~~ by a setting unit of the approval service provider terminal;

decision performing means for performing, ~~in the client terminal, which is different from the approval service provider, a decision as to whether or not to approve the approval decision for said approval request~~ by applying the approval request to based on the decision condition included in said acquired approval service object; and

output means for outputting a result of the decision of said decision performing means.

7. (Currently Amended) An approval system according to claim 6, wherein said approval service provider terminal registers said approval service object in said service server in response to the insertion of a card storing information of said approval service object and deletes the corresponding approval service object from said service server in response to the extraction of said card.

8. (Previously Presented) An approval system according to claim 6, wherein said client terminal further includes approval request storage means for storing

plural approval requests, the plural approval requests being prepared based on values entered by the user of the client terminal; and

wherein said decision performing means executes the approval decision process for the plural approval requests stored in said approval request storage means.

9. (Previously Presented) An approval system according to claim 8, wherein said acquisition means is constructed to search for and acquire an approval service object matching said approval request among the plural approval service objects stored in said service server upon detecting that said client terminal is connected to said service server through a network.

10. (Original) An approval system according to claim 9, wherein said client terminal is a portable terminal.

11. (Previously Presented) An approval system according to claim 6, wherein said acquisition means is constructed to search for and acquire an approval service object matching said approval request among the plural approval service objects stored in said service server in response to the insertion of a card storing said approval request into said client terminal.

12. (Currently Amended) An approval system according to claim 6, wherein said client terminal further includes execution means for executing a process

corresponding to said approval request in the case that said ~~outputted~~ output decision result is an approval.

13. (Previously Presented) An approval system according to claim 6, wherein the decision condition includes a condition corresponding to the user of the client terminal and the content of said approval request.

14. (Currently Amended) An approval system according to claim 6, wherein said acquisition means further searches the approval service objects stored in said approval service provider terminal.

15. (Currently Amended) A service server which communicates with an approval service provider terminal and a client terminal, the service server comprising:

approval service storage means for storing plural approval service objects ~~instructed for registration~~ registered by ~~[[an]]~~ the approval service provider terminal, wherein each of the approval service objects includes a decision condition set ~~by a user of~~ by a setting unit of the approval service provider terminal; and

search and transmission means for searching for an approval service object which matches an approval request based on a search instruction received from the client terminal ~~an external apparatus~~ and transmitting said approval service object located by the search to said ~~external apparatus~~ client terminal,

wherein the client terminal ~~external apparatus~~ decides, ~~in the external apparatus, which is different from the approval service provider,~~ whether or not to approve the approval request ~~by applying the approval request to~~ based on the decision condition included in the transmitted approval service object, and wherein the approval request is prepared based on values entered by a user.

16. (Currently Amended) A service server according to claim 15, further comprising information means for informing said client terminal ~~external apparatus~~ of an information of registration when a new approval service object is registered by said approval service provider terminal.

17. (Currently Amended) An approval system comprising an approval service provider terminal, a service server, a client terminal and a request server,
wherein the service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the approval service objects includes a decision condition set ~~by a setting unit of the~~ by a user ~~of an approval service provider terminal~~,

wherein the client terminal includes approval request preparing means for preparing an approval request based on values entered by a user of the client terminal,

and wherein said request server includes:

approval request storage means for storing the approval request prepared in said client terminal;

acquisition means for searching for and acquiring an approval service object matching said approval request stored in said approval request storage means, among the plural approval service objects registered in said service server;

decision performing means for performing, ~~in the request server, which is different from the approval service provider, the approval decision for a decision as to whether or not to approve~~ said approval request, based on by applying the approval request to the decision condition included in said acquired approval service object; and

output means for outputting a result of the decision of said decision performing means.

18. (Previously Presented) An approval system according to claim 17, wherein said acquisition means retains said approval request in said approval request storage means in the case that the approval service object matching said approval request cannot be located in said service server, and, upon detecting registration of a new approval service object in said service server, again searches for, and acquires, the approval service object matching said retained approval request.

19. (Previously Presented) An approval system according to claim 18, wherein said service server further includes information means for informing said request server of an information of registration when a new approval service object is registered by said service provider.

20. (Previously Presented) An approval system according to claim 17, wherein an approval service object corresponding to an approval decider is registered in said service server in response to the log-in of said approval decider in said service provider, and an approval service object corresponding to said approval decider is deleted from said service server in response to the log-out of said approval decider from said service provider.

21. (Previously Presented) An approval system according to claim 17, wherein an approval service object stored in a card storing the approval service object is registered in said service server in response to the insertion of said card in said service provider and the approval service object stored in said card is deleted from said service server in response to the extraction of said card from said service provider.

22. (Previously Presented) An approval system according to claim 21, wherein said card includes decision condition data to be used in said approval service object.

23. (Previously Presented) An approval system according to claim 22, wherein said service provider prepares said approval service object and registers it in said service server, based on said decision condition data of said inserted card.

24. (Currently Amended) An approval system according to claim 17, wherein said client terminal further includes reception means for receiving the decision result ~~outputted~~ output by said output means.

25. (Previously Presented) An approval system according to claim 24, wherein said client terminal further includes execution means for executing a process corresponding to said approval request in the case that said received decision result is an approval.

26. (Previously Presented) An approval system according to claim 17, wherein the decision condition includes a condition corresponding to the user of the client terminal and the content of said approval request.

27. (Previously Presented) An approval system according to claim 17, wherein said acquisition means further searches the approval service objects stored in said approval service provider.

28. (Currently Amended) An approval system according to claim 17, wherein the decision result ~~outputted~~ output by said output means is also ~~outputted~~ output to said service provider.

29. (Currently Amended) An approval system comprising an approval service provider terminal, a service server and a client terminal,

wherein said service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the approval service objects includes a decision condition set by a setting unit of the ~~by a user of an~~ approval service provider terminal;

wherein said client terminal comprises:

approval request preparing means for preparing an approval request based on values entered by a user of the client terminal;

search means for searching for an approval service object matching said approval request, among the plural approval service objects registered in said service server;

transmission means for transmitting said approval request to said service server, in the case that the approval service object is located by said search means; and

reception means for receiving the result of approval decision for said approval request transmitted from said service server; and

said service server comprises:

decision performing means for performing, ~~in said service server, which is different from the approval service provider~~, the approval decision for the approval request transmitted from said client terminal, ~~based on~~ by applying the approval request to the decision condition included in the approval service object matching said approval request; and

transmission means for transmitting a result of said approval decision to said client terminal.

30. (Currently Amended) An approval system comprising an approval service provider terminal, a service server, a client terminal and a request server,

wherein said service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal,

wherein each of the approval service objects includes a decision condition set by a setting unit of the ~~by a user of an~~ approval service provider,

wherein said client terminal includes approval request preparing means for preparing an approval request based on values entered by a user of the client terminal, and

~~wherein said request server includes approval request storage means for storing the approval request prepared in said client terminal;~~

wherein said request server ~~further~~ includes:

approval request storage means for storing the approval request prepared in said client terminal;

search means for searching for an approval service object matching the approval request stored in said approval request storage means, among the plural approval service objects registered in said service server;

transmission means for transmitting said approval service object to said service server, in the case that the approval service object is located by said search means; and

reception means for receiving the result of approval decision for said approval request from said service server; and

wherein said service server includes:

decision performing means for performing, ~~in said service server, which is different from the approval service provider,~~ the approval decision for the approval request transmitted from said request server, ~~based on~~ by applying the approval request to the decision condition included in the approval service object matching said approval request; and

transmission means for transmitting a result of said approval decision to said request server.

31. (Currently Amended) A control method for an information processor which communicates with an approval service provider terminal, the control method comprising:

a receiving step for receiving an approval service object from the approval service provider terminal, the approval service object including ~~which includes~~ a decision condition set ~~by a user of an~~ by a setting unit of the approval service provider terminal;

a storage step of storing the approval service object received in said receiving step;

an approval request preparing step for preparing an approval request based on values entered by a user;

a decision step of deciding, ~~in the information processor, which is different from the approval service provider,~~ whether or not to approve said prepared approval request, ~~based on~~ by applying said prepared approval request to the decision condition included in said stored approval service object; and

an output step of outputting a result of the decision of said decision step.

32. (Currently Amended) A method according to claim 31, further comprising an execution step of executing a process corresponding to said approval request in the case that said ~~outputted~~ output result of the decision is an approval.

33. (Previously Presented) A method according to claim 31, wherein the decision condition includes a condition corresponding to the user of the information processing apparatus and the content of said approval request.

34. (Previously Presented) A method according to claim 33, wherein said decision condition further includes a condition corresponding to the information processing method preparing said approval request.

35. (Previously Presented) A method according to claim 31, wherein said decision step determines a period for prohibiting an approval decision and rejects said approval request in the case that a current time is identified as within a prohibition period.

36. (Currently Amended) A control method for an approval system comprising a service server, an approval service provider terminal and a client terminal, wherein the ~~system includes a service server for managing~~ manages plural approval service objects registered by ~~[[an]] the approval service provider terminal~~, and ~~[[a]] wherein the client terminal comprises having~~ approval request preparing means for preparing an approval request based on values entered by a user of the client terminal, the method comprising, in said client terminal:

an approval request preparing step of preparing ~~[[an]] the approval request~~;

an acquisition step of searching for and acquiring an approval service object matching said approval request, among the plural approval service objects registered in said service server, wherein the approval service object includes a decision condition set ~~by a user of~~ by a setting unit of the approval service provider terminal;

a decision performing step of performing, ~~in the client terminal, which is different from the approval service provider, the approval decision for~~ a decision as to whether or not to approve said approval request, based on by applying the approval request to the decision condition included in said acquired approval service object; and

an output step of outputting a result of the decision of said decision performing step.

37. (Currently Amended) A control method for an approval system according to claim 36, wherein said approval service provider terminal registers said approval service object in said service server in response to the insertion of a card storing

information of said approval service object and deletes the corresponding approval service object from said service server in response to the extraction of said card.

38. (Previously Presented) A control method for an approval system according to claim 36, wherein the method further comprises, in said client terminal, an approval request storage step of storing plural approval requests in a memory, the plural approval requests being prepared based on values entered by the user of the client terminal, and

wherein said decision performing step executes the approval decision process for said stored plural approval requests.

39. (Previously Presented) A control method for an approval system according to claim 38, wherein said acquisition step searches for and acquires an approval service object matching said approval request among the plural approval service objects stored in said service server upon detecting that said client terminal is connected to said service server through a network.

40. (Original) A control method for an approval system according to claim 39, wherein said client terminal is a portable terminal.

41. (Previously Presented) A control method for an approval system according to claim 36, wherein said acquisition step searches for and acquires an approval

service object matching said approval request among the plural approval service objects stored in said service server in response to the insertion of a card storing said approval request into said client terminal.

42. (Previously Presented) A control method for an approval system according to claim 36, wherein the method further comprises, in said client terminal, an execution step of executing a process corresponding to said approval request in the case that said ~~outputted~~ output decision result is an approval.

43. (Previously Presented) A control method for an approval system according to claim 36, wherein the decision condition includes a condition corresponding to the user of the client terminal and the content of said approval request.

44. (Currently Amended) A control method for an approval system according to claim 36, wherein said acquisition step further searches the approval service objects stored in said approval service provider terminal.

45. (Currently Amended) A control method for a service server which communicates with an approval service provider terminal and a client terminal, the control method comprising:

an approval service storage step of storing plural approval service objects ~~instructed for registration~~ registered by [[an]] the approval service provider terminal,

wherein each of the approval service objects includes a decision condition set ~~by a user of~~
by a setting unit of the approval service provider terminal; and

a search and transmission step of searching for an approval service object
which matches an approval request based on a search instruction received from the client
terminal ~~an external apparatus~~, and transmitting said approval service object located by the
search to said ~~external apparatus~~ client terminal,

wherein the client terminal ~~external apparatus~~ decides, ~~in the external~~
~~apparatus, which is different from the approval service provider~~, whether or not to approve
the approval request by applying the approval request to ~~based on~~ the decision condition
included in the transmitted approval service object, and wherein the approval request is
prepared based on values entered by a user.

46. (Currently Amended) A control method for a service server according
to claim 45, further comprising an information step of informing said client terminal
~~external apparatus~~ of an information of registration when a new approval service object is
registered by said approval service provider terminal.

47. (Currently Amended) A control method for an approval system
including an approval service provider terminal, a service server, a client terminal and a
request server,

wherein the service server manages plural approval service objects
registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the

approval service objects includes a decision condition set by a setting unit of the ~~by a user of an approval service provider terminal,~~

wherein the client terminal prepares an approval request based on values entered by a user of the client terminal,

and wherein the method comprises, in said request server:

an approval request storage step of storing the approval request prepared in said client terminal;

an acquisition step of searching for and acquiring an approval service object matching said stored approval request, among the plural approval service objects registered in said service server;

a decision performing step of performing, ~~in the request server, which is different from the approval service provider, the approval decision for~~ a decision as to whether or not to approve said approval request, ~~based on~~ by applying the approval request to the decision condition included in said acquired approval service object; and

an output step of outputting a result of the decision of said decision performing step.

48. (Previously Presented) A control method for an approval system according to claim 47, wherein said acquisition step retains said approval request in said memory in the case that the approval service object matching said approval request cannot be located in said service server, and, upon detecting registration of a new approval service

object in said service server, again searches and acquires the approval service object matching said retained approval request.

49. (Previously Presented) A control method for an approval system according to claim 48, wherein the method further comprises, in said service server, an information step of informing said request server of an information of registration when a new approval service object is registered by said service provider.

50. (Previously Presented) A control method for an approval system according to claim 47, wherein an approval service object corresponding to an approval decider is registered in said service server in response to the log-in of said approval decider in said service provider, and an approval service object corresponding to said approval decider is deleted from said service server in response to the log-out of said approval decider from said service provider.

51. (Previously Presented) A control method for an approval system according to claim 47, wherein an approval service object stored in a card storing the approval service object is registered in said service server in response to the insertion of said card in said service provider and the approval service object stored in said card is deleted from said service server in response to the extraction of said card from said service provider.

52. (Previously Presented) A control method for an approval system according to claim 51, wherein said card includes decision condition data to be used in said approval service object.

53. (Previously Presented) A control method for an approval system according to claim 52, wherein said service provider prepares said approval service object and registers it in said service server, based on said decision condition data of said inserted card.

54. (Currently Amended) A control method for an approval system according to claim 47, wherein the method in said client terminal further comprises a reception step for receiving the decision result ~~outputted~~ output by said output step.

55. (Previously Presented) A control method for an approval system according to claim 54, wherein the method in said client terminal further comprises an execution step of executing a process corresponding to said approval request in the case that said received decision result is an approval.

56. (Previously Presented) A control method for an approval system according to claim 47, wherein the decision condition includes a condition corresponding to the user of the client terminal and the content of said approval request.

57. (Previously Presented) A control method for an approval system according to claim 47, wherein said acquisition step further searches the approval service objects stored in said approval service provider.

58. (Currently Amended) A control method for an approval system according to claim 47, wherein the decision result ~~outputted~~ output by said output step is also ~~outputted~~ output to said service provider.

59. (Currently Amended) A control method for an approval system including an approval service provider terminal, a service server and a client terminal, wherein said service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the approval service objects includes a decision condition set by a setting unit of ~~by a user of~~ the approval service provider, the method comprising, in said client terminal:

an approval request preparing step of preparing an approval request based on values entered by a user of the client terminal;

a search step of searching for an approval service object matching said approval request, among the plural approval service objects registered in said service server;

a transmission step for transmitting said approval request to said service server, in the case that said approval service object is located by said search step; and

a reception step of receiving the result of approval decision for said approval request transmitted from said service server; and

the method comprising, in said service server:

a decision performing step of performing, ~~in said service server, which is different from the approval service provider,~~ the approval decision for the approval request transmitted from said client terminal, ~~based on~~ by applying the approval request to the decision condition included in the approval service object matching said approval request; and

a transmission step of transmitting a result of said approval decision to said client terminal.

60. (Currently Amended) A control method for an approval system including an approval service provider terminal, a service server, a client terminal and a request server,

wherein said service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal,

wherein each of the approval service objects including a decision condition set ~~by a user of~~ by a setting unit of the approval service provider,

wherein said client terminal prepares an approval request based on values entered by a user of the client terminal, and

~~wherein said request server includes a memory for storing the approval request prepared in said client terminal, and~~

wherein the method₁ in said request server₁ comprises:

an approval request storage step of storing the approval request prepared in said client terminal;

a search step of searching for an approval service object matching the approval request stored in said approval request storage step, among the plural approval service objects registered in said service server;

a transmission step for transmitting said approval service object to said service server, in the case that the approval service object is located by said search step; and

a reception step of receiving the result of approval decision for said approval request from said service server; and

the method in said service server comprising:

a decision performing step of performing, ~~in said service server, which is different from the approval service provider,~~ the approval decision for the approval request transmitted from said request server, based on by applying the approval request to the decision condition included in the approval service object matching said approval request; and

a transmission step of transmitting a result of said approval decision to said request server.

61. (Currently Amended) A computer program for an information processing apparatus which communicates with an approval service provider terminal, the

computer program being stored on a computer-readable medium and composed of computer executable codes comprising:

a receiving step of receiving an approval service object from the approval service provider terminal, the approval service object including ~~which includes~~ a decision condition set ~~by a user of an~~ by a setting unit of the approval service provider terminal;

a storage step of storing the approval service object received in said receiving step;

an approval request preparing step of preparing an approval request based on values entered by a user;

a decision step of deciding, ~~in an information processing apparatus, which is different from the approval service provider~~, whether or not to approve said prepared approval request, ~~based on~~ by applying said prepared approval request to the decision condition included said stored approval service object; and

an output step of outputting a result of the decision of said decision step.

62. (Currently Amended) A computer executable control program, stored on a computer-readable medium, for controlling an approval system comprising a service server, an approval service provider terminal and a client terminal,

wherein the approval ~~system includes~~ a service server for ~~managing~~ manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and ~~[[a]]~~ wherein the client terminal comprises ~~having~~ approval request preparing

means for preparing an approval request based on values entered by a user of the client terminal, the program comprising, in said client terminal:

an approval request preparing step of preparing ~~[[an]]~~ the approval request;

an acquisition step of searching for and acquiring an approval service object matching said approval request, among the plural approval service objects registered in said service server, wherein the approval service object includes a decision condition set ~~by a user of~~ by a setting unit of the approval service provider terminal;

a decision performing step of performing, ~~in the client terminal, which is different from the approval service provider, the approval decision for~~ a decision as to whether or not to approve said approval request, ~~based on~~ by applying the approval request to the decision condition included in said acquired approval service object; and

an output step of outputting a result of the decision of said decision performing step.

63. (Currently Amended) A computer executable control program stored on a computer-readable medium and used for a service server, which communicates with an approval service provider terminal, a client terminal and a request server, comprising:

an approval service storage step of storing plural approval service objects ~~instructed for registration~~ registered by ~~[[an]]~~ the approval service provider terminal, wherein each of the approval service objects includes a decision condition set ~~by a user of~~ by a setting unit of the approval service provider terminal; and

a search and transmission step of searching for an approval service object which matches the approval request based on a search instruction received from the client terminal ~~an external apparatus~~, and transmitting said approval service object located by the search to said ~~external apparatus~~ client terminal,

wherein the client terminal ~~external apparatus~~ decides, ~~in the external apparatus, which is different from the approval service provider~~, whether or not to approve the approval request by applying the approval request to ~~based on~~ the decision condition included in the transmitted approval service object, and the approval request is prepared based on values entered by a user.

64. (Currently Amended) A computer executable control program stored on a computer-readable medium for an approval system including an approval service provider terminal, a service server, a client terminal and a request server,

wherein the service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the approval service objects includes a decision condition set by a setting unit of the ~~by a user of the~~ approval service provider terminal,

wherein the client terminal prepares an approval request based on values entered by a user of the client terminal,

and wherein the program comprises, in said request server:

an approval request storage step of storing the approval request prepared in said client terminal;

an acquisition step of searching for and acquiring an approval service object matching said stored approval request, among the plural approval service objects registered in said service server;

a decision performing step of performing, ~~in the request server, which is different from the approval service provider, the approval decision for a decision as to whether or not to approve~~ said approval request, based on by applying the approval request to the decision condition included in said acquired approval service object; and

an output step of outputting a result of the decision of said decision performing step.

65. (Currently Amended) A computer executable control program stored on a computer-readable medium for an approval system including an approval service provider terminal, a service server and a client terminal,

wherein said service server manages plural approval service objects registered by ~~[[an]]~~ the approval service provider terminal, and wherein each of the approval service objects includes a decision condition set by a setting unit of ~~by a user of~~ the approval service provider, the program comprising, in said client terminal:

an approval request preparing step of preparing an approval request based on values entered by a user of the client terminal;

a search step of searching for an approval service object matching said approval request, among the plural approval service objects registered in said service server;

a transmission for transmitting said approval request to said service server,
in the case that said approval service object is located by said search step; and
a reception step of receiving the result of approval decision for said
approval request transmitted from said service server; and
the program comprising in said service server:
a decision performing step of performing, ~~in said service server, which is
different from the approval service provider,~~ the approval decision for the approval request
transmitted from said client terminal, ~~based on~~ by applying the approval request to the
decision condition included in the approval service object matching said approval request;
and
a transmission step of transmitting a result of said approval decision to said
client terminal.

66. (Currently Amended) A computer executable control program stored
on a computer-readable medium for an approval system including an approval service
provider terminal, a service server, a client terminal and a request server,

wherein said service server manages plural approval service objects
registered by ~~[[an]]~~ the approval service provider terminal,

wherein each of the approval service objects includes a decision condition
set ~~by a user of~~ by a setting unit of the approval service provider,

wherein said client terminal prepares an approval request based on values
entered by a user of the client terminal,

~~wherein said request server includes a memory for storing the approval request prepared in said client terminal, and~~

wherein the program₂ in said request server₂ comprises:

an approval request storage step of storing the approval request prepared in said client terminal;

a search step of searching for an approval service object matching the approval request stored in said approval request storage step, among the plural approval service objects registered in said service server;

a transmission step for transmitting said approval service object to said service server, in the case that the approval service object is located by said search step; and

a reception step of receiving the result of approval decision for said approval request from said service server; and

wherein the program in said service server comprises:

a decision performing step of performing, ~~in said service server, which is different from the approval service provider,~~ the approval decision for the approval request transmitted from said request server, ~~based on~~ by applying the approval request to the decision condition included in the approval service object matching said approval request; and

a transmission step of transmitting a result of said approval decision to said request server.